

## POULTRY

Slaughtered under Federal Inspection and Poultry

Used in Canning and Other Processed Foods

June 1962

ALBERT R. MANN  
LIBRARY

AUG 14 1962

August 1, 1962

### Canned and Processed Poultry

Poultry inspected and used for canning and other processed foods in June 1962 totaled 38,689,000 pounds, ready-to-cook weights, compared with 35,608,000 pounds in June 1961. The quantity used in June consisted of 8,150,000 pounds of young chickens, 16,395,000 pounds of mature chickens, 11,264,000 pounds of turkey, and 2,880,000 pounds of other poultry.

### Inspected Poultry

The number of head (chickens, turkeys, and ducks combined) inspected under the Poultry Inspection Act carried on by the USDA during June 1962 amounted to 184,829,000, compared with 195,754,000 in June 1961. The number of head and pounds (live weight) inspected by classes were: young chickens, 171,849,000 head, 580,770,000 pounds; mature chickens, 8,217,000 head, 40,611,000 pounds; fryer-roaster turkeys, 901,000 head, 7,576,000 pounds; young turkeys, 1,884,000 head, 31,938,000 pounds; old turkeys, 864,000 head, 16,640,000 pounds; and ducks, 1,114,000 head, 7,175,000 pounds.

### Certified Poultry

The quantity of poultry certified as wholesome in June 1962 totaled 498,970,000 pounds ready-to-cook weight of which 399,811,000 pounds were iced and 99,159,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 421,448,000 pounds; mature chickens, 27,898,000 pounds; fryer-roaster turkeys, 5,835,000 pounds; young turkeys, 25,528,000 pounds; old turkeys, 13,128,000 pounds; ducks, 5,018,000 pounds; and other poultry 115,000 pounds.

Ante-mortem condemnations in June 1962 amounted to 1,437,000 pounds for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.21 percent; mature chickens, 0.36 percent; fryer-roaster turkeys, 0.11 percent; young turkeys, 0.14 percent; old turkeys, 0.16 percent; and ducks 0.01 percent.

Post-mortem condemnations in June 1962 amounted to 11,110,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.80 percent; mature chickens, 2.46 percent; fryer-roaster turkeys, 1.23 percent; young turkeys, 1.39 percent; old turkeys, 1.86 percent; and ducks, 1.01 percent. In June 1961, the condemnations by classes were equivalent to the following percentages: young chickens, 1.74 percent; mature chickens, 2.58 percent; fryer-roaster turkeys, 1.25 percent; young turkeys, 1.18 percent; old turkeys, 1.71 percent; and ducks 2.12 percent.

---

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service

Pou 2-1(8-62)

Crop Reporting Board

Washington, D. C.

Poultry: Slaughtered under Federal Inspection, June 1962 with comparisons

Class	Number inspected		Pounds inspected (live weight)						Average live weight						
	June		January-June		June		January-June		June		January-June				
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962			
Young chickens	175,403	180,656	171,849	855,515	864,756	592,034	610,831	580,770	2,918,679	2,951,897	3.38	3.38	3.38	3.38	3.41
Mature chickens	8,230	7,801	8,217	44,379	47,574	41,664	38,744	40,611	220,185	235,645	5.06	4.97	4.94	4.96	4.95
Total chickens	183,633	188,457	180,066	899,894	912,330	633,698	649,575	621,381	3,138,864	3,187,542	3.45	3.45	3.45	3.45	3.49
Fryer-roasters	881	1,240	901	6,188	5,447	7,601	10,875	7,576	65,072	47,209	8.63	8.77	8.41	8.76	8.67
Young turkeys	1,223	3,401	1,884	5,490	6,030	20,136	55,652	31,938	154,636	113,110	16.46	16.36	16.95	17.40	18.76
Old turkeys	674	1,280	864	1,283	1,903	13,336	24,777	16,640	50,078	37,336	19.79	19.36	19.26	19.54	19.62
Total turkeys	2,778	5,921	3,649	12,961	13,380	41,073	91,304	56,154	269,836	197,655	14.79	15.42	15.39	14.29	14.77
Ducks	1,213	1,376	1,114	4,147	3,915	7,899	8,668	7,175	26,286	25,227	6.51	6.30	6.44	6.34	6.44
Other poultry	---	---	---	---	---	205	340	217	859	920	---	---	---	---	---
Total poultry	---	---	---	---	---	682,875	749,887	684,927	3,435,845	3,411,344	---	---	---	---	---

  

Class	May 1962		June 1961		June 1962		January-June 1961		January-June 1962		Total				
	Iced	Frozen	Iced	Frozen	Iced	Frozen	Iced	Frozen	Iced	Frozen	Iced	Frozen			
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds			
Young chickens	373,947	53,887	427,834	397,885	44,544	442,429	375,725	45,723	421,448	1,912,718	194,174	2,106,892	1,895,384	235,437	2,130,821
Mature chickens	17,538	11,036	28,574	16,721	10,036	26,757	18,050	9,848	27,898	104,912	46,873	153,785	110,426	52,995	163,421
Total chickens	391,485	64,923	456,408	414,606	54,580	469,186	393,775	55,571	449,346	2,017,630	243,047	2,260,677	2,005,810	288,432	2,294,242
Fryer-roasters	1,788	4,144	5,932	2,335	6,144	8,479	1,717	4,118	5,835	10,236	40,509	50,745	9,139	27,717	36,856
Young turkeys	2,733	13,300	16,033	5,737	38,923	44,660	2,836	22,692	25,528	17,804	106,362	124,166	13,670	76,480	90,150
Old turkeys	900	9,655	10,555	1,739	17,942	19,681	1,392	11,736	13,128	3,316	37,231	40,547	2,744	26,760	29,504
Total turkeys	5,421	27,099	32,520	9,811	63,009	72,820	5,945	38,546	44,491	31,356	184,102	215,458	25,553	130,957	156,510
Ducks	127	5,473	5,600	136	6,045	6,181	90	4,928	5,018	959	17,580	18,539	795	17,040	17,835
Other poultry	1	108	109	8	174	182	1	114	115	18	446	464	8	484	492
Total poultry	397,034	97,603	494,637	424,561	123,808	548,369	399,811	99,159	498,970	2,049,963	445,175	2,495,138	2,032,166	436,913	2,469,079

Pounds certified (ready-to-cook weights)

Poultry: Condemnations of poultry slaughtered under Federal Inspection, June 1962 with comparisons

Class	Ante-mortem condemnations			Post-mortem condemnations		
	: Pounds (live weight) : June	: Percent 1/ June	: Pounds (live weight) : June	: Pounds (live weight) : June	: Percent 2/ June	: Pounds (live weight) : June
	1961 : 1,000	1961 : 0.21	1961 : 1,000	1961 : 1,000	1961 : 1.74	1961 : 1,000
	1962 : 1,210	0.21	1962 : 6,526	1962 : 9,388	1.80	1962 : 5,1724
Young chickens :	144	.37	670	898	2.58	4,882
Mature chickens :	1,421	.22	6,838	10,439	1.79	56,606
Total chickens :						69,739
Fryer-roasters :	14	.13	123	164	1.25	687
Young turkeys :	78	.14	176	592	1.18	1,620
Old turkeys :	36	.14	71	381	1.71	873
Total turkeys :	128	.14	370	1,095	1.33	3,180
Ducks :	8	.9	25	65	2.12	467
Other poultry :	1	.21	1	2	.65	4
Total :	1,558	.21	7,234	11,701	1.74	60,257

Poultry: Inspected for canning and other processed foods, June 1962 with comparisons 3/

Class	Pounds used ready-to-cook weight			Pounds condemned ready-to-cook weight		
	: May 1962	: June 1961	: June 1962	: May 1962	: June 1961	: June 1962
	1,000	1,000	1,000	1,000	1,000	1,000
	8,567	6,275	40,533	7	3	42
Young chickens :	16,619	17,308	114,813	23	4	80
Mature chickens :	10,788	7,648	44,218	4	3	23
Turkeys :			59,757			
Other poultry 4/ :	3,469	4,377	20,347	5	2	17
Total :	39,443	35,608	219,911	39	12	162

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.)  
 4/ Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young Chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations			
	1961		1962		1961		1962		1961		1962	
	Thou.	1,000	pounds	1,000	Pounds	pounds	pounds	pounds	pounds	Percent	Percent	
N. Atl.	15,473	13,510	58,468	50,803	3.78	3.76	41,200	36,507	997	842	1.90	1.85
E. N. Cent.	5,927	4,213	20,697	14,769	3.49	3.51	14,817	10,704	223	150	1.20	1.13
W. N. Cent.	6,119	5,058	19,854	16,861	3.24	3.33	14,166	12,080	366	267	2.05	1.76
S. Atl.	76,293	70,712	258,793	239,362	3.39	3.39	189,559	175,051	3,645	3,538	1.57	1.65
S. Cent.	71,920	73,959	236,153	243,351	3.28	3.29	170,529	175,951	3,924	4,192	1.85	1.92
West	4,924	4,397	16,876	15,624	3.43	3.55	12,158	11,155	386	399	2.55	2.85
U. S.	180,656	171,849	610,831	580,770	3.38	3.38	442,429	421,448	9,541	9,388	1.74	1.80
Maine	5,189	5,154	20,177	19,705	3.89	3.82	14,193	14,529	351	417	1.94	2.35
Mass.	608	628	2,487	2,364	4.09	3.77	1,714	1,696	64	39	2.86	1.84
Conn.	1,516	1,014	5,317	3,363	3.51	3.32	3,549	2,284	103	67	2.14	2.21
N. J. 3/	---	33	---	149	---	4.51	---	29	---	---	---	---
Pa.	6,759	6,049	25,180	22,897	3.73	3.79	18,187	16,427	411	298	1.82	1.45
Ohio	1,906	1,126	6,704	3,961	3.52	3.52	4,686	2,894	71	43	1.19	1.22
Ind.	2,116	1,662	7,028	5,468	3.32	3.29	5,123	3,965	71	58	1.13	1.19
Ill.-Mich. 4/	276	263	1,166	1,050	4.22	3.99	831	751	11	11	1.06	1.17
Wis.	1,629	1,162	5,799	4,290	3.56	3.69	4,177	3,094	70	38	1.35	.99
Minn.	772	773	2,663	2,757	3.45	3.57	2,037	2,057	38	32	1.59	1.31
Iowa 3/	106	---	510	---	4.80	---	384	---	1	---	.40	---
Mo.	5,121	4,138	16,291	13,404	3.18	3.24	11,454	9,500	322	233	2.20	1.94
Del.	7,413	7,235	27,519	27,239	3.71	3.76	20,355	20,217	342	346	1.38	1.41
Md.	9,950	9,090	35,852	33,464	3.60	3.68	25,808	24,205	482	384	1.49	1.28
Va.	5,670	4,922	17,676	14,882	3.12	3.02	12,685	10,689	408	141	2.57	1.05
N. C.	18,155	16,819	61,980	57,032	3.41	3.39	45,287	41,690	642	763	1.15	1.49
S. C.	1,654	1,678	5,529	5,586	3.34	3.33	4,002	3,990	76	103	1.52	2.07
Ga.	31,605	30,076	104,350	98,287	3.30	3.27	77,075	72,191	1,640	1,763	1.75	2.00
Ky.	2,936	2,424	9,977	8,172	3.40	3.37	7,055	5,790	121	100	1.35	1.36
Tenn.	5,841	5,357	20,009	18,135	3.43	3.39	14,609	13,338	312	246	1.74	1.51
Ala.	17,752	18,499	59,861	61,907	3.37	3.35	43,561	45,266	1,171	1,111	2.18	2.00
Miss.	12,201	12,935	39,981	42,580	3.28	3.29	28,861	31,242	580	679	1.62	1.78
Ark.	21,301	21,461	67,502	69,099	3.17	3.22	48,430	48,843	1,176	1,418	1.94	2.28
La.-Okla. 4/	2,716	3,143	8,893	10,376	3.27	3.30	6,445	7,624	137	180	1.72	1.93
Texas	9,173	10,140	29,930	33,082	3.26	3.26	21,568	23,848	427	458	1.59	1.54
Idaho	440	450	1,317	1,510	2.99	3.36	972	1,109	13	14	1.07	1.07
Utah 5/	63	33	228	117	3.59	3.50	168	88	2	---	.92	.80
Wash.	665	910	2,217	3,401	3.33	3.74	1,540	2,421	21	33	1.06	1.08
Oreg. 3/	626	---	2,149	---	3.43	---	1,510	---	27	---	1.37	---
Calif.	3,130	3,004	10,965	10,596	3.50	3.53	7,968	7,537	323	352	3.28	3.70

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations. 5/ Dashes mean less than 500 pounds.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	Tuber- : colosis:	Leu- : cosis:	Septi- : cemia	Airsac- : culitis:	Inflam- : matory	Tumors : sites	Para- : sites	Bruises : No.	Cadaver : No.	Contam- : ination	Over- : scald	Decom- : position	Other : No.	Total : No.
N. Atl.	1	42,199	74,133	38,340	30,185	896	13	2,287	4,705	8,784	1,026	720	830	204,119
E. N. Cent.	1	2,723	15,828	13,111	5,234	262	4	1,293	2,980	2,750	624	---	1,285	46,095
W. N. Cent.	27	2,866	27,755	31,583	14,128	311	4	1,017	4,780	6,009	413	7	363	89,263
S. Atl.	---	99,157	116,637	347,618	46,365	2,817	28	8,323	37,530	61,579	5,330	1,991	385,964	1,113,339
S. Cent.	---	57,682	214,061	548,545	40,544	5,050	41	12,686	75,038	69,814	7,934	774	222,970	1,255,139
West.	---	3,901	35,732	65,503	12,102	819	3	1,355	1,912	4,627	690	10	17,443	144,097
U. S.	29	208,528	484,146	1,044,700	148,558	10,155	93	26,961	126,945	173,563	16,017	3,502	628,855	2,852,052
Maine	---	13,411	34,344	13,060	19,016	288	---	1,187	1,944	4,027	350	---	641	88,268
Mass.	---	2,117	3,932	1,128	1,818	201	---	99	266	413	139	---	48	10,161
Conn.	---	10,559	6,154	1,693	1,585	112	9	139	204	1,265	5	---	3	21,728
N. J.	---	21	43	---	14	4	---	11	---	2	---	---	---	95
Pa.	1	14,697	28,248	20,082	6,841	270	4	594	2,117	2,812	531	505	138	76,840
Ohio	---	936	5,239	4,397	1,982	101	---	200	634	701	199	---	449	14,898
Ind.	1	1,391	5,841	4,335	2,385	41	1	671	700	1,161	337	---	494	17,358
Ill.-Mich. 1/	---	184	1,391	402	98	17	---	96	455	161	3	---	98	2,905
Wis.	---	212	3,357	3,977	769	103	3	326	1,191	727	85	---	244	10,994
Minn.	25	408	2,258	2,827	563	104	1	81	681	580	10	---	86	7,624
Mo.	2	2,410	25,415	28,749	13,535	197	1	905	4,085	5,190	399	7	277	81,172
Del.	---	26,722	31,593	20,307	13,851	618	2	441	2,568	2,762	171	3	178	99,216
Md.	---	24,434	33,505	26,711	10,524	785	---	713	3,844	3,064	139	---	7,899	111,618
Va.	---	9,299	20,998	7,611	6,286	77	---	210	1,016	1,467	146	---	60	47,170
N. C.	---	7,571	9,352	68,249	5,710	482	4	2,332	10,797	13,071	918	294	118,471	237,251
S. C.	---	368	543	12,159	187	46	4	378	2,268	2,538	80	34	12,861	31,466
Ga.	---	29,786	19,294	206,527	9,476	777	18	4,147	16,748	37,779	3,678	1,649	242,039	571,918
Ky.	---	1,299	8,685	12,910	1,672	70	1	647	2,482	1,613	1,347	1	1,040	31,767
Tenn.	---	4,135	12,234	16,671	1,943	113	---	803	8,235	7,693	120	21	26,109	78,077
Ala.	---	9,199	14,103	203,227	494	458	---	1,512	11,200	15,353	683	178	98,831	355,238
Miss.	---	11,610	13,720	86,520	1,506	682	1	2,073	7,274	13,454	2,108	261	64,747	203,956
Ark.	---	17,181	105,730	176,831	20,247	1,484	6	3,758	27,980	15,046	2,319	171	26,500	397,253
Ia.-Okla. 1/	---	3,021	18,372	19,663	3,913	555	12	1,305	3,526	4,050	337	5	140	54,899
Texas	---	11,237	41,217	32,723	10,769	1,688	21	2,588	14,341	12,605	1,020	137	5,603	133,949
Idaho	---	14	1,640	1,565	296	25	---	178	448	290	84	---	620	5,160
Utah	---	23	72	16	72	4	---	5	6	6	---	---	---	204
Wash.	---	257	3,576	1,739	544	27	---	99	194	267	237	6	3,541	10,487
Calif.	---	3,607	30,444	62,183	11,190	763	3	1,073	1,264	4,064	369	4	13,282	128,246

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962	
N. Atl.	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent	
E. N. Cent.	1,394	1,361	7,328	7,060	5.26	5.19	5,044	4,922	135	2.05	
W. N. Cent.	1,362	1,427	5,921	6,204	4.35	4.35	4,074	4,343	122	2.30	
S. Atl.	1,680	2,127	8,033	9,956	4.78	4.68	5,459	6,663	225	3.13	
S. Cent.	1,308	1,339	7,434	7,487	5.68	5.59	5,268	5,253	139	2.08	
West.	940	805	5,260	4,896	5.60	6.08	3,676	3,375	151	3.20	
	1,117	1,158	4,768	5,008	4.27	4.32	3,236	3,342	126	2.95	
U. S.	7,801	8,217	38,744	40,611	4.97	4.94	26,757	27,898	898	2.58	
Maine	251	260	1,660	1,688	6.61	6.50	1,211	1,234	29	1.96	
Conn. 3/	82	---	514	---	6.24	---	363	---	7	1.35	
N. Y.	156	120	758	554	4.87	4.60	554	469	6	.99	
N. J.	432	522	1,715	2,059	3.97	3.94	1,058	1,275	54	3.58	
Pa.	271	214	1,457	1,243	5.38	5.81	1,011	862	21	1.64	
Ohio	354	519	1,593	2,235	4.50	4.30	1,061	1,524	36	2.51	
Ind.	478	388	2,128	1,777	4.46	4.58	1,522	1,231	40	2.09	
Ill.	415	416	1,714	1,744	4.13	4.20	1,247	1,187	40	2.61	
Mich. 4/	26	11	115	53	4.51	4.83	78	37	1	1.63	
Wis.	89	93	371	395	4.18	4.25	166	364	5	1.37	
Minn.	791	887	3,423	3,789	4.33	4.27	2,278	2,505	112	3.68	
Iowa	105	143	482	636	4.60	4.44	338	444	9	1.99	
Mo.	402	732	2,283	3,721	5.68	5.08	1,610	2,506	41	2.01	
Nebr. 3/	315	---	1,433	---	4.55	---	951	---	55	4.31	
Kans. 3/	64	---	397	---	6.20	---	272	---	8	2.25	
Del.	53	58	365	453	6.93	7.80	261	333	5	1.33	
Md.	313	313	1,262	1,262	4.04	4.03	886	879	24	2.11	
Va.	152	214	900	1,138	5.93	5.33	635	794	22	2.72	
N. C.	332	339	1,947	1,955	5.87	5.76	1,359	1,349	35	2.02	
S. C.	30	24	186	160	6.24	6.53	130	113	4	2.54	
Ga.	419	375	2,712	2,433	6.48	6.48	1,959	1,726	48	2.01	
Ky. 3/	---	56	---	298	---	5.34	---	204	---	5	---
Tenn.	144	147	804	1,011	5.58	6.88	551	689	11	1.56	
Ala.	209	69	1,069	466	5.12	6.74	796	341	43	4.57	
Miss.	89	66	417	383	4.71	5.85	280	269	9	2.52	
Ark.	81	65	564	495	6.92	7.59	393	332	18	3.44	
La.-Okla. 5/	190	161	1,191	1,049	6.27	6.52	839	733	30	2.81	
Texas	216	241	1,145	1,194	5.30	4.96	771	807	39	3.85	
Idaho	17	22	81	103	4.70	4.67	57	72	1	2.22	
Utah	38	40	154	150	4.08	3.75	110	108	3	1.99	
Wash.	84	124	367	549	4.37	4.44	236	357	10	2.97	
Oreg. 3/	96	---	432	---	4.51	---	304	---	11	2.96	
Calif.	877	969	3,709	4,198	4.23	4.33	2,512	2,799	101	3.06	

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Dashes mean less than 500 pounds. 5/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, June 1962

Region and State	Tuber- : culosis :		Leu- : cosis :		Septi- : cemia :		Airsac- : culitis :		Inflam- : matory :		Tumors :		Para- : sites :		Bruises :		Cadaver :		Contam- : ination :		Over- : scald :		Decom- : position :		Other :		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	15	2,663	9,924	18	4,665	3,086	246	2	1,346	84	9	188	22,747														
E. N. Cent.	2,860	6,026	13,275	31	4,728	5,128	721	60	2,532	155	17	3,153	39,586														
W. N. Cent.	9,878	4,538	16,997	214	8,830	5,952	1,268	326	2,605	477	14	5,479	57,881														
S. Atl.	15	1,277	6,794	174	3,589	1,428	398	8	1,462	302	8	12,923	29,318														
S. Cent.	36	3,624	8,658	98	4,865	1,442	329	23	3,133	60	4	4,489	27,415														
West.	4	825	13,343	221	7,095	7,687	721	77	1,605	111	27	3,889	36,379														
U. S.	12,808	18,953	68,991	756	33,792	24,723	3,683	496	12,683	1,189	79	30,121	213,326														
Maine	---	471	2,379	8	1,557	214	54	---	47	596	---	188	5,537														
N. Y.	---	404	537	7	335	261	46	---	82	51	---	---	1,757														
N. J.	15	1,007	4,234	---	1,418	1,818	76	---	247	321	1	---	9,155														
Pa.	---	378	1,803	1	609	412	43	---	49	274	6	---	3,584														
Ohio	436	1,934	2,973	19	2,361	1,594	190	47	461	592	17	1,438	12,180														
Ind.	405	2,141	3,740	8	546	1,711	207	9	299	356	---	1,441	10,869														
Ill.	1,639	1,597	5,611	---	1,132	1,247	250	4	103	1,436	---	232	13,280														
Mich.	---	8	53	1	4	10	---	---	14	---	---	6	97														
Wis.	380	346	898	3	685	566	74	---	23	148	---	36	3,160														
Minn.	4,504	1,539	5,477	8	3,749	4,488	740	142	626	1,287	4	3,853	26,817														
Iowa	650	356	1,718	2	434	93	38	4	24	165	---	30	3,514														
Mo.	477	1,737	4,732	20	2,484	1,014	278	147	566	801	---	1,383	13,710														
Del.	---	130	401	17	236	84	3	---	16	30	---	---	924														
Md.	11	596	2,710	---	1,178	317	244	---	256	120	---	42	5,486														
Va.	1	215	2,210	35	1,184	399	17	---	95	131	---	---	4,291														
N. C.	---	68	843	14	714	124	64	4	376	530	---	4,585	7,532														
S. C.	---	3	36	27	9	8	7	3	38	45	---	562	738														
Ga.	---	229	582	79	263	491	62	1	151	582	8	7,198	9,715														
Ky.	16	84	240	3	133	402	12	3	26	176	---	232	1,327														
Tenn.	---	216	1,599	6	91	128	99	2	92	585	---	1,761	4,602														
Ala.	---	22	239	10	32	103	13	1	97	288	---	1,179	1,990														
Miss.	---	9	191	1	123	49	12	---	27	163	3	763	1,343														
Ark.	---	182	1,381	56	515	99	29	3	39	582	---	12	2,900														
La.-Okla. 1/	20	918	2,117	12	1,797	318	67	13	237	405	1	38	5,947														
Texas	---	2,193	2,891	10	2,174	343	97	1	136	934	---	504	9,306														
Idaho	---	18	244	2	47	56	7	---	10	43	---	18	446														
Utah	4	93	158	---	6	40	8	---	14	10	5	---	338														
Wash.	---	110	1,241	---	371	283	31	---	22	183	---	755	3,005														
Calif.	---	586	11,669	218	6,665	7,308	675	77	717	1,367	22	3,116	32,521														

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962		
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent		
N. Atl.	110	16	1,128	261	10.25	16.31	843	198	6	1	0.59	0.43
E. N. Cent.	310	85	4,757	1,239	15.35	14.58	3,799	970	37	8	.87	.72
W. N. Cent.	1,011	346	15,025	4,846	14.86	14.01	12,208	3,886	120	57	.89	1.31
S. Atl.	303	239	4,984	4,003	16.45	16.75	3,935	3,162	44	48	.98	1.33
S. Cent.	346	94	5,826	1,633	16.84	17.37	4,639	1,300	47	25	.90	1.70
West.	1,321	1,104	23,932	19,956	18.12	18.08	19,236	16,012	338	260	1.57	1.45
U. S.	3,401	1,884	55,652	31,938	16.36	16.95	44,660	25,528	592	399	1.18	1.39
Pa. 3/	99	6	959	88	9.68	15.56	726	70	5	---	.68	.50
Ohio	80	17	1,229	230	15.32	13.95	971	185	6	2	.56	.61
Ind. 4/	77	---	1,288	---	16.63	---	1,053	---	8	---	.65	---
Wis.	145	65	2,106	936	14.54	14.47	1,667	749	22	6	1.13	.62
Minn.	620	230	9,200	3,079	14.85	13.38	7,546	2,469	76	41	.92	1.48
Iowa	290	59	4,147	791	14.31	13.39	3,340	641	26	5	.71	.68
Mo. 3/	36	2	633	34	17.58	16.48	496	28	6	---	1.06	.84
Kans. 4/	30	---	446	---	14.87	---	351	---	8	---	1.99	---
Va.	99	78	1,544	1,073	15.62	13.70	1,152	814	17	10	1.23	1.04
N. C.	118	138	2,220	2,604	18.83	18.90	1,803	2,086	19	37	.94	1.58
S. C. 4/	37	---	700	---	18.69	---	570	---	5	---	.81	---
Texas	123	83	2,178	1,440	17.68	17.25	1,758	1,141	17	24	.89	1.81
Colo.	118	43	2,066	744	17.56	17.29	1,686	614	11	5	.56	.77
Utah	204	80	3,277	1,495	16.07	18.68	2,639	1,191	42	15	1.44	1.07
Oreg. 4/	43	---	701	---	16.19	---	571	---	9	---	1.30	---
Calif.	953	815	17,829	14,513	18.71	17.81	14,301	11,661	274	186	1.71	1.42

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.



Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, June 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Revises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	35	1	25	---	---	6	---	9	1	---	---	77
E. N. Cent.	---	1	155	36	118	2	---	5	25	16	2	---	23	383
W. N. Cent.	1	114	1,173	1,732	191	14	2	70	232	194	100	2	27	3,852
S. Atl.	---	73	899	246	848	2	---	15	90	73	14	---	1,017	3,277
S. Cent.	---	8	1,048	136	174	---	1	2	8	21	---	---	32	1,430
West.	---	90	3,562	2,249	3,332	141	2	269	418	349	38	72	1,946	12,468
U. S.	1	286	6,872	4,400	4,688	159	5	367	773	662	155	74	3,045	21,487
Pa.	---	---	6	1	2	---	---	1	---	1	---	---	---	11
Ohio	---	1	30	3	7	---	---	1	3	6	---	---	---	51
Wis.	---	---	109	31	108	2	---	4	18	7	2	---	23	304
Miss.	---	114	672	1,597	74	3	1	49	188	170	95	2	18	2,983
Iowa	---	---	183	32	36	---	---	4	31	11	2	---	9	310
Mo.	---	---	4	2	4	---	---	1	---	1	---	---	---	12
Va.	---	1	371	142	81	---	---	5	52	5	2	---	---	659
N. C.	---	71	502	101	721	2	---	10	7	66	12	---	1,012	2,504
Texas	---	8	1,011	132	162	---	1	2	7	19	---	---	32	1,374
Colo.	---	---	37	15	94	---	---	2	10	9	5	---	---	172
Utah	---	---	69	71	703	5	---	22	17	7	10	---	---	904
Calif.	---	38	2,845	1,912	1,853	74	---	169	199	285	22	---	1,869	9,266

Fryer-Roaster Turkeys: Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected	Pounds inspected		Average live weight inspected		Total pounds certified		Post-mortem condemnations			
		1961	1962	1961	1962	1961	1962	1961	1962		
N. Atl. 3/	2	18	201	9.00	8.36	14	151	---	2	---	0.93
E. N. Cent.	335	3,248	1,958	9.70	8.76	2,564	1,474	23	13	.79	.78
W. N. Cent.	453	3,949	2,246	8.72	8.61	3,144	1,754	53	23	1.49	1.14
S. Atl.	251	2,100	2,480	8.37	8.29	1,556	1,845	35	38	1.85	1.71
S. Cent.	48	373	298	7.77	8.05	288	232	1	2	.30	.75
West.	151	1,187	493	7.86	7.25	913	379	10	6	.94	1.35
U. S.	1,240	10,875	7,576	8.77	8.41	8,479	5,835	122	84	1.25	1.23
Ohio	37	315	296	8.59	8.79	242	151	2	2	.71	.49
Wis.	298	2,933	1,557	9.84	8.82	2,322	1,238	21	11	.79	.76
Minn.	389	3,393	1,686	8.72	8.62	2,707	1,320	51	20	1.70	1.27
Va.	239	2,001	2,480	8.36	8.29	1,476	1,845	35	38	1.93	1.71
Ark.	34	260	297	7.61	8.10	198	231	1	2	.73	.76
Calif.	118	904	374	7.65	6.81	691	284	10	5	1.15	1.26

Fryer-Roaster Turkeys: Number condemned post-mortem by cause, by regions and selected States, June 1962

Region and State	Tuberculosis		Leucosis		Septicemia		Airsacculitis		Inflammation		Bruises		Cadaverous taint		Over-ripening		Decomposition		Other		Total
	No.	Per cent	No.	Per cent	No.	Per cent	No.	Per cent	No.	Per cent	No.	Per cent	No.	Per cent	No.	Per cent	No.	Per cent	No.	Per cent	
N. Atl.	1	50	94	47	26	13	4	2	6	3	6	3	6	6	3	6	6	6	6	6	138
E. N. Cent.	8	1.8	522	11.8	36	0.8	21	0.5	44	1.0	21	0.5	138	3.0	7	0.2	172	3.8	172	3.8	1,198
W. N. Cent.	4	0.9	759	16.7	372	8.2	79	1.7	114	2.5	15	0.3	261	5.7	191	4.2	3	0.1	3	0.1	1,884
S. Atl.	4	0.9	1,650	36.2	233	5.1	15	0.3	147	3.2	2	0.0	33	0.7	1	0.0	---	---	---	---	4,377
S. Cent.	---	---	132	2.9	39	0.9	2	0.0	17	0.4	11	0.2	16	0.4	---	---	10	0.2	10	0.2	251
West.	2	0.4	268	5.9	32	0.7	11	0.2	26	0.6	4	0.1	60	1.3	41	0.9	49	1.0	49	1.0	556
U. S.	1	0.0	3,425	7.5	699	1.5	132	3.0	354	7.8	514	11.3	240	5.3	6	0.1	234	5.2	234	5.2	8,404
Ohio	---	---	79	1.7	4	0.1	---	---	16	0.4	---	---	16	0.4	---	---	4	0.1	4	0.1	128
Wis.	1	0.2	443	9.8	32	0.7	21	0.5	28	0.6	21	0.5	122	2.7	7	0.2	168	3.7	168	3.7	1,069
Minn.	---	---	710	15.7	45	1.0	66	1.4	86	1.8	66	1.4	224	4.8	191	4.1	2	0.0	2	0.0	1,671
Va.	4	0.9	1,650	36.2	233	5.1	15	0.3	147	3.2	2	0.0	33	0.7	1	0.0	---	---	---	---	4,377
Ark.	---	---	132	2.9	39	0.9	1	0.0	17	0.4	11	0.2	16	0.4	---	---	10	0.2	10	0.2	236
Calif.	---	---	220	4.9	31	0.7	10	0.2	24	0.5	10	0.2	59	1.3	41	0.9	48	1.0	48	1.0	476

1/ Average weight based on unrounded data.  
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.  
 3/ Dashes mean less than 500 pounds.

Old Turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected		Pounds inspected		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
	1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
N. Atl. 3/	17	322	19	378	18.94	19.89	258	286	1	---
E. N. Cent.	130	2,464	182	3,391	18.95	18.63	1,967	2,691	34	46
W. N. Cent.	319	5,933	204	3,846	18.60	18.85	4,679	3,017	85	85
S. Atl.	54	1,006	17	266	18.63	15.65	782	211	4	4
S. Cent.	144	2,684	111	2,114	18.64	19.05	2,121	1,667	37	37
West.	616	12,368	331	6,645	20.08	20.08	9,874	5,256	209	106
U. S.	1,280	24,777	864	16,640	19.36	19.26	19,681	13,128	381	278
Ohio	57	1,067	95	1,688	18.63	17.81	853	1,341	10	19
Wis.	30	541	45	843	18.14	18.93	429	669	13	16
Minn.	103	1,938	87	1,643	18.83	18.79	1,544	1,291	30	40
Iowa	48	886	25	481	18.47	18.96	705	385	11	5
Va.	33	580	12	187	17.72	15.43	441	148	9	2
Texas	108	2,049	79	1,519	19.06	19.24	1,627	1,208	31	25
Calif.	448	9,129	316	6,367	20.39	20.13	7,275	5,032	170	104

Old Turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, June 1962

Region and State	Tuber-: leu-: Septi-: Airtsac-: Inflamm-: Tumors		Para-: Bruises		Cadaver-: Contam-: Over-: Decom-: Other		Total						
	No.	No.	No.	No.	No.	No.		No.	No.	No.	No.		
N. Atl.	---	2	38	2	18	1	---	2	1	---	1	---	65
E. N. Cent.	3	23	652	110	627	13	---	96	62	3	2	---	1,735
W. N. Cent.	37	15	1,217	773	898	21	---	81	260	79	1	---	3,472
S. Atl.	---	1	129	30	37	2	---	1	13	---	---	---	216
S. Cent.	---	79	724	200	480	21	---	8	171	---	---	---	1,968
West.	---	6	521	145	1,853	22	---	422	114	52	1	---	4,042
U. S.	40	126	3,281	1,260	3,913	80	---	534	325	559	83	4	1,293
Ohio	2	13	278	24	286	5	---	54	12	3	2	---	750
Wis.	1	7	152	54	314	4	---	13	9	---	---	---	613
Minn.	---	4	444	522	410	13	---	34	26	110	75	1	1,654
Iowa	---	---	83	67	24	3	---	6	18	4	1	---	219
Va.	---	1	85	10	19	2	---	3	1	---	---	---	121
Texas	---	70	473	104	339	19	---	5	12	140	---	---	1,278
Calif.	---	6	500	131	1,811	22	---	401	112	50	1	---	3,931

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

UNITED STATES DEPARTMENT OF AGRICULTURE  
STATISTICAL REPORTING SERVICE  
WASHINGTON, D. C.

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Albert R. Mann Library  
8-24-61 Acquisitions Div.  
ML-PS Ithaca, N. Y.



Growth Through Agricultural Progress

Definitions -

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

\*\*\*\*\*

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.